


Obsessions and Compulsions

An NHS self help guide





Patient information awards

Highly commended

	Page
Introduction	4
What is OCD?	6
What more do we know about OCD?	7
What are the symptoms of OCD?	8
How do you feel when you experience some of these obsessions?	11
How do you feel when you have then carried out the compulsive behaviour or thoughts?	11
Can OCD be treated?	13
What can I do to help myself?	13
How can I make facing what I fear easier?	14
How do I stop myself from carrying out the compulsive act?	17
How can I tackle negative thinking in OCD?	17
How can I tackle compulsive checking?	18
How can I tackle obsessional thoughts where the compulsion is another thought?	19
Can mindfulness help OCD?	21
How can I help myself overcome OCD?	22
Where can I get further help?	22
Useful organisations and websites	23
Useful books	26
Mindfulness downloads	28
Relaxation downloads	28
References	28
Rate this guide	28

These are the experiences of three people who suffer obsessive compulsive disorder...

“I’m afraid of catching something from other people, I fear that the germs that they carry may get on to me and I will become infected. I’m afraid I may also contaminate my family by passing these germs on to them. I know it is silly but I feel so tense and anxious if I do touch anyone else or any surfaces – such as door handles that they have touched, that I have to come home and wash my hands many times, then wash my clothes. That makes me feel a lot better until the next contact with others. All of my own surfaces at home are washed many times each day with bleach to stop the germs. I avoid contact with other people when at all possible. Part of me realises that these fears are daft, but it's gone on for so long now I don't know how to stop... my family are sick of it...”

“I fear that I may harm someone... This is often worst when I am out driving. I sometimes think I have hit someone and have to go back and check again and again. Recently I have started avoiding driving altogether.”

“My whole day is spent checking that nothing will go wrong in the house... I can't get out because I'm never quite sure that I've turned off the gas, electric appliances, water and locked the windows. No matter how often I check, my partner has to check them all for me again. I check to see if the gas fire is off, I do this five times and then can sometimes go upstairs, at other times it doesn't feel right and I go through the whole ritual again. If I don't check I feel so worried I can't bear it. I know it's silly, but I keep thinking if something awful did happen I'd be to blame for being so careless...”

“I sometimes have really bad thoughts go through my mind. I wonder if this makes me a really bad person but I know I would never hurt anyone. I try to push the thoughts away by thinking good things, but sometimes it seems the harder I try the worse things get.”

You may have had similar experiences yourself.

It is quite common for people to have such thoughts and to carry out checking actions, but if these are becoming a major part of your daily life then you may be suffering from Obsessive Compulsive Disorder (OCD). OCD also occurs in children. If you think your child may have OCD it is really important you seek professional help, as outcomes are better the sooner treatment is begun. Your GP should be able to advise and refer your child for specialist help where they can receive a full assessment of what is going on.

What is OCD?

Each person who suffers from OCD describes slightly different problems. In general people with OCD experience **obsessions**. These are thoughts, pictures or impulses which are usually unpleasant and come into mind when we don't want them. Many things can trigger these obsessions, and they usually leave the person feeling very anxious, uncomfortable or frightened. The **compulsion** is the behaviour or thought performed in order to put right the obsession. Sometimes the behaviour performed is quite irrational (and the OCD sufferer recognises this) such as counting up in sevens or tapping a set number of times. Sometimes the behaviour is more closely related to the obsessional thought, such as washing hands many times to avoid thoughts of contamination. Most people with OCD (although not all) know that their compulsions are unreasonable or over the top but they feel unable to control their thoughts or change their behaviour.

Some people experience obsessional thoughts and behaviours and are able to live with this without too many problems. They may have learned ways to cope, although things can change with time, often getting better or worse depending on stress or mood levels. It is estimated that around three quarters of a million people in the UK (1.2% of the population) are living with severe, hugely distressing OCD, which has a big impact on their life. Fortunately treatments are very effective and if your life is being disrupted by unwanted thoughts and actions it is really worth seeking help.

What more do we know about OCD?

There are many theories about what causes OCD, including neurological, biological, genetic, psychological and social. As yet there is no one theory that has been proven to be the root cause, and it is likely that OCD comes from a complex mixture of all of these. But whatever the cause, OCD affects us in a number of ways:

- **What we think:**
 - obsessional thoughts and images (i.e. can't get them out of our mind)
 - guilty thoughts
 - thoughts that we are responsible for everything
- **How we feel:**
 - Tense
 - anxious
 - agitated
 - disgusted
- **What we do:**
 - compulsions - (something we must do, sometimes described as rituals)
 - avoidance
 - seeking reassurance

What are the symptoms of OCD?

Some of the symptoms of OCD are listed here. Most people don't experience all of these. You may want to tick any symptoms you experience regularly.

What we think – obsessions	What we do – compulsions
<ul style="list-style-type: none"><li data-bbox="135 577 754 831"><input type="checkbox"/> Fearful thoughts or pictures in your mind about being contaminated by dangerous substances, e.g. germs, dirt, AIDS. <li data-bbox="135 1099 754 1765"><input type="checkbox"/> Frightening thoughts/ images that some serious harmful events will occur because of your carelessness, for example a gas explosion in the house because the cooker is left on, that the house will be burgled because of doors or windows left unlocked or that you may have knocked someone over in your car.	<ul style="list-style-type: none"><li data-bbox="802 577 1358 674"><input type="checkbox"/> Check body for signs of contamination.<li data-bbox="802 712 1398 763"><input type="checkbox"/> Wash/disinfect frequently.<li data-bbox="802 801 1477 943"><input type="checkbox"/> Avoid going to places or touching objects that you fear may contaminate you. <li data-bbox="802 1093 1430 1234"><input type="checkbox"/> Check feared situations/ appliances or journey route many times.<li data-bbox="802 1272 1477 1368"><input type="checkbox"/> Avoid being the last person to leave the house.<li data-bbox="802 1406 1278 1458"><input type="checkbox"/> Avoid responsibility.<li data-bbox="802 1496 1430 1637"><input type="checkbox"/> Seek reassurance regularly from another person that everything is alright.

What we think – obsessions	What we do – compulsions
<ul style="list-style-type: none"> <li data-bbox="135 309 758 564">❑ Unwanted thoughts of a violent or sexual nature that you find repulsive or frightening for example involving children <li data-bbox="135 779 758 1290">❑ Pictures or words in your head that suggest you will harm or have harmed others, especially those you care for and would never want to harm. For example that you may hurt your own child, that you may be unfaithful to your partner. 	<ul style="list-style-type: none"> <li data-bbox="798 309 1508 358">❑ Avoid being alone with children <li data-bbox="798 389 1316 439">❑ Avoid going out alone <li data-bbox="798 470 1428 568">❑ Confess thoughts and seek reassurance <li data-bbox="798 779 1508 927">❑ Avoid situations which you feel put you at risk of harming others, e.g. hide kitchen knives. <li data-bbox="798 958 1508 1169">❑ Going over and over situations in your mind to convince yourself you have done nothing wrong. <li data-bbox="798 1200 1508 1563">❑ Think something to yourself to put right the frightening thoughts – these are sometimes called ‘neutralising’ thoughts because they seem to take away the power of the thoughts.

What we think – obsessions	What we do – compulsions
<ul style="list-style-type: none"> <li data-bbox="135 309 703 456">❑ Pictures come into your mind of your loved ones dead. <li data-bbox="135 770 730 1124">❑ Things in your life are not in the correct order or not symmetrical enough or in the right place, e.g. ornaments are out of alignment and you feel distressed by this. <li data-bbox="135 1321 746 1568">❑ Blasphemous or unpleasant thoughts/pictures and doubts about your faith come into your head. 	<ul style="list-style-type: none"> <li data-bbox="794 309 1453 510">❑ Carry out some task that will 'neutralise' the thought, e.g. counting or saying a special word. <li data-bbox="794 546 1501 591">❑ Seek reassurance from others. <li data-bbox="794 770 1485 913">❑ You put things right or make them symmetrical many times until they feel right. <li data-bbox="794 949 1469 1048">❑ You avoid contact with things that make you feel like this. <li data-bbox="794 1330 1430 1429">❑ You pray, seek forgiveness frequently. <li data-bbox="794 1433 1469 1532">❑ Consult religious leader/seek reassurance.

How do you feel when you experience some of these obsessions?

- fearful/anxious
- agitated
- ashamed
- guilty
- depressed
- disgusted
- tense
- other

How do you feel when you have then carried out the compulsive behaviour or thoughts?

- relieved
- cleansed
- calm
- relaxed
- less anxious
- disappointed
- other

If you have ticked several of these thoughts, feelings and actions then you may have OCD.

Most people who have OCD find that there is a pattern in their thoughts, feelings and actions. They feel anxiety or discomfort at having the obsession and relief once they have carried out the compulsive act. This becomes a vicious cycle which strengthens itself and becomes more likely to happen again.

It is estimated that over 50% of OCD sufferers experience aggressive, sexual or blasphemous (religious) thoughts, which go totally against someone's beliefs and values. So it is hardly surprising that many OCD sufferers feel guilty and think that they must be a terrible person to have such thoughts. This in turn makes the thoughts more likely to return because they are given such negative importance in the person's mind. Repeatedly going over upsetting thoughts has also been shown to make them seem more believable to the person.

Research tells us that most people experience odd or distressing thoughts and pictures going through their mind at some time, for example 'what if I was just to drive the wrong way up the motorway'. Most people easily dismiss such thoughts from their mind as meaningless. Those who feel most

guilty, distressed or disturbed by the thoughts, however, may get upset by them, and find it hard to get them out of their mind. The pattern often looks something like this.



Can you identify a vicious cycle that applies to your thoughts, pictures in your mind, feelings and behaviour? Try to draw it out here.

Can OCD be treated?

In the last 30 years the treatment of OCD has greatly improved and most people do make a good recovery. The most important treatments are medication and Cognitive Behavioural Therapy (CBT), which will be described later in this booklet.

Medication and Cognitive Behavioural Therapy often work really well together.

Medication

This may be prescribed by your General Practitioner or by a Psychiatrist who specialises in such disorders. The medicines most commonly prescribed by doctors for OCD are antidepressant tablets, which can be very effective in the treatment of OCD even if you have no symptoms of depression. These tablets are not addictive and have few side effects. They do take a few weeks to begin to work, so if you are offered this type of treatment it will be a little time until you begin to feel the benefit.

It is important to continue with the treatment in these early weeks and to stay on the treatment as long as your doctor suggests in order to maintain full benefit.

Cognitive Behavioural Therapy

Your GP may recommend this therapy for you. This approach helps you to tackle what you think (cognition) and what you do (behaviour). Your doctor may suggest you try some of the approaches we describe in this booklet but if you require further help you may be referred to a specialist therapist. Usually this will be a Psychological Therapist or a Clinical Psychologist.

What can I do to help myself?

Research tells us that the most successful way to tackle OCD is by **exposure with response prevention** (ERP). This literally means that you must gradually face or expose yourself to the things or situations you fear, whilst at the same time preventing yourself from carrying out your usual compulsive behaviours

(checking, cleaning etc). This gradual approach means that with each stage you become less afraid of what used to trouble you and you learn by experience that no disaster occurs if you stop your compulsive behaviour. There is some evidence that online resources can be useful to support this. Most of these have a cost, but some are available free of charge.

Because OCD is such an individual thing, not all the examples in this booklet will be exactly like your experience. Use the parts that you think apply to you.

How can I make facing what I fear easier?

Exposure

We know that if we can stay in a situation where we feel anxious, gradually the anxiety will reduce – our body becomes used to the situation and we no longer feel fearful. This is called exposure and it will help us overcome our obsessions. For the person with OCD however, facing things we fear may seem very difficult, if not impossible.

Because of this it may be helpful to break down into smaller steps the exposure to situations or thoughts we find difficult. Begin by making a list of all situations or thoughts you find difficult. Next make an anxiety ladder where those situations that you only fear a little are at the bottom and your worst feared situations are at the top. It may help to look at this example:

Washing and cleaning

Mary has a fear of being contaminated by germs which she believes she may pass on to her family. This has resulted in her restricting her lifestyle and spending many hours washing herself and disinfecting her home. She has made up the following anxiety ladder.

Most Feared

8. going to toilet in public toilets

7. going to eat outside the home

6. touching doors and objects outside home, e.g. at the supermarket

5. going to the toilet at a friends house

4. eating at a friends house

3. touching objects at a friends house

2. touching own waste bin without gloves

1. touching own waste bin with rubber gloves on

Least Feared

Mary will begin her exposure therapy at step 1 (i.e. by touching her own waste bin with gloves on) and gradually work towards step 8. She will prevent herself from frequent hand washing at these times – (see Response Prevention below). Are you able to list your own anxiety ladder?

Most feared

8.....

7.....

6.....

5.....

4.....

3.....

2.....

1.....

Least feared

Most people will at first feel greater anxiety when they begin to face the things they fear and feel an urge to perform their compulsion or ritual. The next section may help you deal with this.

How do I stop myself from carrying out the compulsive act?

It is important to break the cycle of carrying out the compulsive act or thought following exposure to the thing(s) you fear. This is called Response Prevention. There are some tips in attempting this.

1. Ask your family to help you by not offering to reassure you by checking for you or by telling you that you are not contaminated. Reassurance can stop you from confronting what you really fear.
2. Praise yourself for not carrying out the compulsion or neutralising activity. This is an important step forward.
3. Keep a note as you are carrying out the exposure therapy to show how your anxiety begins to drop. For example, touching the bin with no gloves on and without washing hands.
4. Don't substitute new compulsions for old ones. For example substituting rubbing hands continually for hand washing.
5. If stopping all compulsive behaviours at once seems impossible, try to reduce gradually the time you spend on the behaviour or the number of times it happens.

If you use this approach then gradually your anxiety will reduce.

How can I tackle negative thinking in OCD?

Sometimes people get gloomy thoughts when they have OCD especially when they begin to try and break the cycle of obsessions and compulsions by Response Prevention.

Typically these thoughts are criticisms of yourself, for example, "I'm not a caring mother if I don't check things fully" or "I'm letting things get out of control, I'm a failure". People with OCD also often feel high levels of guilt without good reason. These

thoughts lead to low mood and unhappiness. It is important that you do not just accept these thoughts. You need to find a more balanced view. Try to:

- identify these thoughts and low mood;
- jot down the unpleasant thoughts you are having at the time;
- try and counter these thoughts by writing down arguments against them. Imagine what you would say to a friend if they had such negative thoughts about themselves;
- concentrate on and remember the good things about yourself and your life, not the bad things;
- try to challenge feelings of guilt.

How can I tackle compulsive checking?

Mark had difficulty in leaving the house each day. He would check all appliances at least 15 times. Perhaps you have a similar problem with checking things all the time. The following example may help you understand how to tackle this kind of problem:

- write down all the things you check;
- decide which is most difficult – make an anxiety ladder;
- starting with step 1 on your ladder (least difficult) decide how many times you will check – try the minimum you can;
- begin with step 1 one day;
- when your anxiety about that stage is down to a low level move on to step 2.

Mark's anxiety ladder looked like this:



He began with step 1. He would check the taps only once before he left the house. At first he felt very anxious about this but gradually his fear lessened. He then moved on to step 2, the lights ... and so on.

How can I tackle obsessional thoughts where the compulsion is another thought?

Jean used to get a picture in her mind of her daughter and the words “your daughter is dead” would run into her head. She was so disturbed by this that she would ‘neutralise’ the thought in her mind by saying “she is alive and well” and would picture her daughter looking fit and healthy. She would then feel relief. This began to take up hours of Jean’s time each day and made her very unhappy. She felt she must be a terrible person. The picture seemed to get stronger and stronger. Perhaps you have a similar disturbing thought that you spend time putting right with another thought?

The most important thing when tackling this problem is to break the cycle of having an obsessional thought and putting it right with another thought, i.e. neutralising. Here are some tips!

- Don't try and get rid of the obsessional thought, just accept it. We all have odd thoughts at times. Think to yourself that it's just an odd thought, it doesn't mean anything, it doesn't mean you are a bad person.
- Do not neutralise to put the thought right – break that cycle.
- Jean tackled this by telling herself:
 - “This is only a thought, it is only upsetting if I give it too much importance. The more frightened of it I am the more it will come to mind so just let it go.”
 - “Stop trying to put the thought out of my mind – just let it fade – don't be afraid of it.”
 - “Never put the thought right by neutralising (that is saying in my head “she's alive and well”) – this will just strengthen the cycle.”
- Remember trying **not** to think a thought will not help get rid of the thought and usually has the opposite effect.

Test this out now - try **not** to think of a blue giraffe! As you can see for yourself this just brings the thought of a blue giraffe to mind! The same goes for your intrusive thoughts. Trying not to think of them may well bring them into your mind.

Can mindfulness help OCD?

Recent studies have shown that CBT involving mindfulness can be really useful to people who have OCD.

It can be helpful to become more mindful of how your OCD affects you and how you typically react. It is important to focus on the here and now and notice if your thoughts are frequently moving to pictures of future negative events, notice how this makes you feel. Try to bring your thoughts back to the here and now. You can accept that you tend to have these worrying thoughts and compulsions but that this does not mean these worries will come true or that you have to act on the compulsions. Acceptance and Commitment Therapy (ACT) is a type of CBT that combines acceptance and mindfulness. ACT is not about getting rid of obsessive thoughts, but about learning to be more at peace with them and accepting them for what they are. Another really important part of ACT is deciding what is most important to you in life, what really matters, and then setting yourself small goals in line with this. If you see a therapist for your OCD they may be able to offer an Act based approach.

Mindfulness meditation courses are now widely available and can further help you to learn to cope with the distress of OCD. Becoming serene, relaxed and gaining a state of inner peace can be helped by mindfulness and relaxation training. This can in turn help you to reduce obsessions and compulsions and reduce distress. (Visit the Mental Health Foundation's website for an online mindfulness course or details of mindfulness teachers in your area.) Further online resources can be found at the end of this booklet.

How can I help myself overcome OCD?

- Carefully recognise your unwanted thoughts (obsessions) and the actions you take to put them right (compulsions).
- Gradually face some of the things you fear. Work out an anxiety ladder to help you do this. Begin with the easiest step.
- Do not carry out any compulsions to reduce or neutralise your anxiety when you are facing the feared situation.
- Break the obsession compulsion cycle.
- Challenge any gloomy or critical thoughts you may have about yourself.
- Consider using mindfulness to help to reduce the impact of OCD.

Where can I get further help?

- We hope you will use the advice suggested in this booklet. This may help you overcome OCD and return to normal life.
- If you feel you are making little progress or the problem is getting worse then seek help in overcoming your problem.
- Your GP is the best person to talk to first. Your GP may suggest a talking treatment or tablets or both. They may suggest you see a mental health worker who can offer expert help with your problems.
- If you feel so distressed that you have thoughts of harming yourself, then visit your doctor as soon as possible and explain to them how you are feeling.

Useful organisations and websites

- **Anxiety UK**

Infoline: 03444 775 774

Text service: 07537 416 905

Email: support@anxietyuk.org.uk

www.anxietyuk.org.uk

Provides information and support to people suffering from anxiety disorders.

- **British Association for Counselling and Psychotherapy**

Tel: 01455 883 300

Email: bacp@bacp.co.uk

www.bacp.co.uk

Offers an information service providing contacts for counselling in England and Wales.

- **Carers UK**

Tel: 0808 808 7777

www.carersuk.org

Email: advice@carersuk.org

Provides information, advice, and support to carers and their families.

- **Healthwatch**

www.healthwatch.co.uk

Healthwatch England is the independent consumer champion for health and social care in England. Working with local Healthwatch networks, we ensure that the voices of consumers and those who use services reach the ears of the decision makers.

- **Mental Health Foundation**

Visit the Mental Health Foundation's website for an online mindfulness course or details of mindfulness teachers in your area. <http://bemindful.co.uk/>

- **Mental Health Matters**
 Tel: 0191 516 3500
 Email: info@mhmm.org.uk
www.mhmm.org.uk
 A national organisation which provides support and information on employment, housing, community support and psychological services.
- **Mind Infoline**
 Tel: 0300 123 3393
 Text: 86463
 Email: info@mind.org.uk
www.mind.org.uk
 Provides information on a range of topics including types of mental distress, where to get help, drug and alternative treatments and advocacy. Also provides details of help and support for people in their own area.
 Helpline available Mon - Fri, 9am - 6pm.
- **The NHS website**
www.nhs.uk
 Information about conditions, treatments, local services and healthy lives.
- **No Panic**
 Helpline: 0844 967 4848
 Youth helpline: 0330 606 1174
 Email: info@nopanic.org.uk
www.nopanic.org.uk
 Support for sufferers of panic attacks, phobias, obsessive compulsive disorder, general anxiety disorder and tranquilliser withdrawal.
- **OCD Action**
 Tel: 0845 390 6232
www.ocdaction.org.uk
 Email: support@ocdaction.org.uk
 Provides support and information to anybody affected by OCD and works to raise awareness of the disorder.

- **OCD-UK**
www.ocduk.org
 Advice line: 0333 212 7890
 Email: support@ocduk.org
 Provides advice, information and support services for those affected by OCD adult or child, including free discussion forums. Lists support groups run to approved standards.
- **Rethink**
 Advice service: 0300 500 0927
 Email: advice@rethink.org
www.rethink.org
 Provides information and a helpline for anyone affected by mental health problems.
- **Samaritans**
 Tel: 116 123
www.samaritans.org
 Email: jo@samaritans.org
 Freepost: RSRB-KKBY-CYJK, PO Box 9090, Stirling, FK8 2SA
 Provides confidential support for anyone in a crisis.
- **Triumph over Phobia**
 Tel: 01225 571 740
 Email: info@topuk.org
www.topuk.org
 Provides national network of self help groups for people with phobias or OCD.

Useful books

- **Break free from OCD: Overcoming Obsessive Compulsive Disorder with CBT**

Dr Fiona Challacombe, Dr Victoria Bream Oldfield and Professor Paul Salkovskis
Vermillion 2011

Contains detailed information on the many forms of OCD and information on how to treat your individual problem.

- **Living with fear (2nd revised edition)**

Isaac Marks
McGraw-Hill 2005

This self-help guide gives practical advice to people who are suffering from phobias, panic, obsessions, rituals or traumatic distress.

- **Mindfulness Workbook for OCD: A Guide to Overcoming Obsessions and Compulsions Using Mindfulness and Cognitive Behavioural Therapy**

Jon Hershfield and Tom Corboy
New Harbinger Self-Help Workbook 2014

Combining mindfulness practices with cognitive behavioural therapy (CBT), The Mindfulness Workbook for OCD offers practical and accessible tools for managing the unwanted thoughts and compulsive urges that are associated with OCD.

- **NICE guidance**

Information for people with OCD or body dysmorphic disorder, their families and carers.

Tel: 0300 123 1002 or download from

<https://www.nice.org.uk/guidance/CG31/informationforpublic>

- **Obsessive compulsive disorder: the facts (4th revised edition)**

Padmal De Silva and Stanley Rachman
Oxford University Press 2009

In this book, the authors draw on their extensive clinical experience to give a lucid account of the nature of obsessive-compulsive behaviour. The book is intended both for those who have this disorder and for their families and friends.

- **Overcoming obsessive compulsive disorder**
David Veale and Rob Willson
Constable and Robinson 2009
With this step by step approach you can learn how to break free from the destructive cycle of obsessive behavior and regain control of your life.
- **Overcoming Obsessive Thoughts: How to gain control of your OCD**
Christine Purdon and David Clark
New Harbinger 2005
This book is particularly useful for people who struggle with obsessive thoughts they view as violent, disgusting or blasphemous (religious).
- **Understanding obsessions and compulsions**
Frank Tallis
Sheldon Press 1992
This book attempts to provide a comprehensive guide to self-help, explaining the principles of anxiety reduction, giving treatment instructions in easy-to-understand language. It covers compulsive checking, washing, hoarding, obsessional thoughts and worry, obsessional personality and depression.
- **Overcoming unwanted intrusive thoughts: a CBT-based guide to getting over frightening, obsessive, or disturbing thoughts**
Sally M. Winston and Martin N. Seif
New Harbinger 2017
In this guide, you'll discover the different kinds of disturbing thoughts, myths that surround your thoughts, and how your brain has a tendency to get "stuck" in a cycle of unwanted rumination. You'll also learn why common techniques to get rid of these thoughts can backfire and powerful cognitive behavioural skills to help you cope with and move beyond your thoughts, so you can focus on living the life you want.

Mindfulness downloads

- [Franticworld.com](http://franticworld.com) Mindfulness: Finding Peace in a Frantic World. Free meditations and mindfulness resources.
- www.headspace.com A free taster of mindfulness, with an opt-in to buy further sessions.
- www.freemindfulness.org A collection of free to download meditations.

Relaxation downloads

- <http://wellbeing-glasgow.org.uk/audio-resources/>
- www.cntw.nhs.uk/relaxation

Online CBT for OCD

OCD-UK recommend a free online CBT programme run by an American charity, Peace of Mind Foundation, set up by an OCD sufferer. This is called OCD Challenge, and is available at: <https://www.ocdchallenge.com>

References

A full list of references is available on request by emailing pic@cntw.nhs.uk

Rate this guide



Share your thoughts with other people and let them know what you think of this guide at www.cntw.nhs.uk/selfhelp

Support your NHS

Join our NHS Foundation Trust

Cumbria, Northumberland, Tyne and Wear NHS Foundation Trust provides a range of mental health, learning disability and specialist services for a large part of the North East of England, North Cumbria and beyond. You may not think these services have very much to do with you, but mental health problems affect 1 in 4 people and there are a growing number of people with both learning and other disabilities.

As a member of our Foundation Trust you can be as active as you like, from just receiving regular information about the trust to getting involved in issues that you care about.

Membership is completely free and as a member you can:

- ⇒ Give your views on the Trust's plans and any issues that interest you
- ⇒ Vote in the Governor Elections or stand as a Governor yourself
- ⇒ Receive regular information about the Trust

Please complete and return the Membership application form overleaf.



Support your NHS

Join our NHS Foundation Trust

Sign up to become a Cumbria, Northumberland, Tyne and Wear NHS Foundation Trust member and choose a self help guide for **free** from the list overleaf.

 cntw.nhs.uk/membership

 0191 245 6827

 FREEPOST CNTW MEMBERSHIP

Membership Application Form

Public ***Service User** ****Carer** (please ✓ only one)

***Service User** *I have used the following CNTW service in the last four years: (please ✓ service used below)*

****Carer** *I have cared for someone who has used the following CNTW service in the last six years:(please ✓ service used below)*

Adult Neuro Disability Older People's
 Children and Young People's Learning Disability

Mr Mrs Miss Ms Mx Unspecified

First name: Surname:

Address:.....

Postcode: Date of birth:


How would you like us to contact you? (please ✓/complete)

Post Tel/mobile

Email

(by selecting email you will help us to reduce postage costs)

Signed:..... Date:



Please send me a free copy of

We will only contact members by their preferred method. The Trust may need to share your information with third party organisations for governor elections, printing and maintaining a membership database. Cancellation of membership can be made at any time online or by contacting the Corporate Affairs/Membership office Tel: 0191 245 6827 or emailing members@cntw.nhs.uk

Mental Health Self Help Guides

NHS

Cumbria, Northumberland,
Tyne and Wear
NHS Foundation Trust

- Abuse
- Alcohol and You
- Anxiety
- Bereavement
- Controlling Anger
- Depression and Low Mood
- Depression and Low Mood - a guide for partners
- Domestic Abuse
- Eating Disorders
- Food for Thought
- Health Anxiety
- Hearing Voices and Disturbing Beliefs
- Obsessions and Compulsions
- Panic
- Post Traumatic Stress
- Postnatal Depression
- Self Harm
- Social Anxiety
- Sleeping Problems
- Stress
- **Plus** 3 guides for prisoners
 - Anxiety
 - Depression and Low Mood
 - Post Traumatic Stress



www.cntw.nhs.uk/selfhelp

Also available in BSL, easy read and audio format



Written by Dr Lesley Maunder and Lorna Cameron, Consultant Clinical Psychologists.

Many thanks to local voluntary sector groups, service users and healthcare staff who have contributed to the review of this guide.

Further information about the content, reference sources or production of this leaflet can be obtained from the Patient Information Centre. If you would like to tell us what you think about this leaflet please get in touch.

This information is available in audio, larger print, easy read and BSL at www.cntw.nhs.uk/selfhelp It can also be made available in alternative formats on request (eg Braille or other languages). Please contact the Patient Information Centre Tel: 0191 246 7288

Published by Cumbria, Northumberland, Tyne and Wear NHS Foundation Trust

2020 Copyright PIC/96/0220 February 2020 V4

Review date 2023